



# MORADABAD INSTITUTE OF TECHNOLOGY



Approved by AICTE, New Delhi

CSE & ME

Affiliated to Dr. APJ Abdul Kalam Technical University, Lucknow

Date: 16-10-24

CR 4.1.1

Yes, the Institution has adequate infrastructure and physical facilities for teaching learning. viz., classrooms, laboratories and computing equipment are available. Sample photographs are hereby attached from Image 1 to Image 8 for your reference.

  
Director

Director  
Moradabad Institute of Technology  
Ram Ganga Vihar, Phase-2  
Moradabad


Ram Ganga Vihar, Phase-II, Moradabad-244001

Helpline Nos. -0591-2452412, 63991330 01/02/03 E-mail: director@mitmoradabad.edu.in Website : www.mitmoradabad.edu.in

**4.1.1 The Institution has adequate infrastructure and physical facilities for teaching-learning. viz., classrooms, laboratories, computing equipment etc.**



**Image 1: Smart Classroom (A Block)**



**Image 2: Smart Classroom (B Block)**





**Image 3: Physics Lab**



**Image 4: Chemistry Lab**





B Block Mit, VQ94+XXR, Ram Ganga Vihar Phase 2, Moradabad, Uttar Pradesh  
244001, India  
Latitude 28.870203° Longitude 78.757570°

**Image 5: Seminar Hall (Block B)**



VQC5+64P, Ram Ganga Vihar Phase 2, Moradabad, Uttar Pradesh 244001, India  
Latitude 28.870686° Longitude 78.757801°  
LOCAL 12:50:03 GMT 07:20:03 WEDNESDAY 25.09.2024 ALTITUDE 532 FEET

**Image 6: Auditorium**



**Image 7: Mechanical Lab**



**Image 8: Server Room**